SUBJECT INDEX

Aeration

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Analysis

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Benefit cost analysis

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Buckling

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Case reports

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

China, People's Republic of

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Construction methods

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Cracks

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Dam safety

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Dams

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Dams, gravity

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Decision making

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Design

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Design criteria

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Dissolved oxygen

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Drains

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Environmental effects

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Environmental impacts

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Erosion

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Erosion control

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Fatigue

Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Gravity

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Hydraulic models

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Hydroelectric powerplants

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Multicriterion Analysis of Hydropower Operation, L. Duckstein, A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89 p132-153.

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Hydroelectric resources

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Jets

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Linings

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Membranes

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Nuclear wastes disposal

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Optimization

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Oxygenation

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Penstocks

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Performance

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Pressure measurement

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Probabilistic models

Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Project planning

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

Pumps

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Radioactive materials

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Relief valves

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Riprap

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

River flow

Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, Byung R. Kim and Charles E. Bohac, EY Aug. 89 p63-77.

Shafts

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Site evaluation

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Stabilization

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Submerging

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Surge Tanks

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Tailings

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Tests

Tests of Jet Pump Operating under Head of 300 M, Hu Peicheng, Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89 p84-89.

Transmission lines

Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87 p102-114.

Tunnel linings

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Tunnels

Buckling of Smooth Linings of Pressure Shafts and Tunnels, Hu Jiabo, EY Apr. 89 p1-17.

Turbines

Submergence Factors for Hydraulic Turbines, J. L. Gordon, EY Aug. 89 p90-107.

Uplift

Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p19-38.

Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, Bernard Amadei, Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89 p39-46.

Uranium

Cap Stabilization for Reclaimed Uranium Sites, S. R. Abt, J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89 p109-119.

Reclamation of Exxon Ray Point Tailings Basin, L. L. Miller, H. P. Estey and C. L. Strachan, EY Dec. 89 p120-131.

Water hammer

Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, Hu Peicheng, Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89 p78-83.

Water resources development

Staging of Water Resource Developments, Edward F. Carter and Kenneth E. Sorensen, EY Apr. 89 p47-58.

AUTHOR INDEX

Abt, S. R.
Cap Stabilization for Reclaimed Uranium Sites, with J. D. Nelson, T. L. Johnson and E. F. Hawkins, EY Dec. 89, p109-119

Amadei, Bernard
Estimation of Uplift Pressures in Cracks in Older Concrete Gravity Dams 2: Effect of Head Losses in Drain Pipes on Uplift, with Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89, p39-46
Estimation of Uplift Pressure in Cracks in Older Concrete Gravity Dams, with Tissa Illangasekare, Douglas I. Morris and Howard Boggs, EY Apr. 89, p19-38

Boggs, Howard
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38

Bohac, Charles E.
see Kim, Byung R., EY Aug. 89, p63-77

Carter, Edward F.
Staging of Water Resource Developments, with Kenneth E. Sorensen, EY Apr. 89, p47-58

Duckstein, L.
Multicriterion Analysis of Hydropower Operation, with A. Tecle, H. P. Nachnebel and B. F. Hobbs, EY Dec. 89, p132-153

Duncan, Roy R., III.
Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, EY Dec. 87, p102-114
disc: Robert C. Peters, EY Apr. 89, p61
clo: EY Apr. 89, p61

Elkouh, Abdel F.
see Peicheng, Hu, EY Aug. 89, p78-83
see Peicheng, Hu, EY Aug. 89, p84-89

Estey, H. P.
see Miller, L. L., EY Dec. 89, p120-131

Gordon, J. L.
Submergence Factors for Hydraulic Turbines, EY Aug. 89, p90-107

Hawkins, E. F.
see Abt, S. R., EY Dec. 89, p109-119

Hobbs, B. F.
see Duckstein, L., EY Dec. 89, p132-153

Illangasekare, Tissa
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38

Jiabo, Hu
Buckling of Smooth Linings of Pressure Shafts and Tunnels, EY Apr. 89, p1-17

Johnson, T. L.
see Abt, S. R., EY Dec. 89, p109-119

Kim, Byung R.
Comparing Options for Improving Dissolved Oxygen Below Hydropower Dam, with Charles E. Bohac, EY Aug. 89, p63-77

Miller, L. L.
Reclamation of Exxon Ray Point Tailings Basin, with H. P. Estey and C. L. Strachan, EY Dec. 89, p120-131

Morris, Douglas I.
see Amadei, Bernard, EY Apr. 89, p39-46
see Amadei, Bernard, EY Apr. 89, p19-38

Nachnebel, H. P.
see Duckstein, L., EY Dec. 89, p132-153

Nelson, J. D.
see Abt, S. R., EY Dec. 89, p109-119

Peicheng, Hu
Relief Valve and Safety Membrane Arrangement in Lieu of Surge Tank, with Zheng Pusheng and Abdel F. Elkouh, EY Aug. 89, p78-83
Tests of Jet Pump Operating under Head of 300 M, with Luo Ruyun, Li Xianging, Wu Zhongfa and Abdel F. Elkouh, EY Aug. 89, p84-89

Peters, Robert C.
disc. (of Probabilistic Approach to Aeolian Fatigue Design of Overhead Conductors, by Roy R. Duncan, III., Robert L. Vecellio and George E. Ramey, EY Dec. 87, p102-114), EY Apr. 89, p61

Pusheng, Zheng
see Peicheng, Hu, EY Aug. 89, p78-83

Ramey, George E., (disc), EY Apr. 89, p61
see Duncan, Roy R., III., EY Dec. 87, p102-114
see Peters, Robert C., (disc), EY Apr. 89, p61

Ruyun, Luo
see Peicheng, Hu, EY Aug. 89, p84-89

Sorensen, Kenneth E.
see Carter, Edward F., EY Apr. 89, p47-58

Strachan, C. L.
see Miller, L. L., EY Dec. 89, p120-131

Tecle, A.
see Duckstein, L., EY Dec. 89, p132-153

Vecellio, Robert L., (disc), EY Apr. 89, p61
see Duncan, Roy R., III., EY Dec. 87, p102-114
see Peters, Robert C., (disc), EY Apr. 89, p61

Xianging, Li
see Peicheng, Hu, EY Aug. 89, p84-89

Zhongfa, Wu
see Peicheng, Hu, EY Aug. 89, p84-89